551735

RECORDED

PIO PIETE RAPINGE BECAMATION OF RESTRICTIVE COVENAVIS FOR LL CAMINO SUBDIVISION, FOURTH FILING PLIEBLO COUNTY, PLIEBLO, COLORADO

KNOW NIL MEN BY THESE PRESENTS, That the undersigned, SOUTHWEST SERVICE COMPORATION, a Colorado Corporation, being present owner of a portion of the W 1/2 and the NE 1/4 of Section 16, and a portion of the SE 1/4 of the SE 1/4 of Section 17, All being in Twp. 21 South, Range 65 West of the 6th Principal Meridian, being more particularly described as follows: Beginning at the center of said Section 16: thence S.00°-00'-48"W., along the North-South Centerline of said Section 16, a distance of 2660.69 feet to the South 1/4 corner of said Soction 16; thence N.89°-12'-30"W., along the south line of said Section 16, a distance of 2050.78 fact; thence N.15°-58'-59"W., a distance of 80.00 feet; thence along the arc of a curve to the right whose conter bears N.15°-58'-59"W., and whose radius is 860.00 feet, a distance of 251.79 feet; thence N.89°-12'-30"W., a distance of 371.10 feet; thence N.98°-15'-30"W., a distance of 16.64 feet; thence N.45°-45'-30"E., a distance of 1259.18 feet to the Southwest corner of El Comino Subdivision, Second Filing, according to the recorded plat thereof, as filed for record November 26, 1973: thence along the southerly boundary of said El Camino Subdivision, Second Filing, the following eighteen (18) courses:

- 1. N.33°-21'-02"E., a distance of 440.11 feet:
- N.38°-08'-28"E., a distance of 91.83 feet:
 N.42°-55'-09"E., a distance of 97.43 feet:
- 4. N.47°-36'-51"E., a distance of 97.43 feet:
- 5. N.52°-18'-34"E., a distance of 97.49 feet;
- 6. N.570-00'-16"E., a distance of 97.49 feet;
- 7. N.61°-41'-58"E., a distance of 97.49 feet:
- 8. N.65°-32'-26"E., a distance of 98.56 feet; 9. N.64°-06'-06"E., a distance of 85.63 feet;
- 10. S.34*-27'-29"E., a distance of 110.00 feet;
- 11. Along the arc of a curve to the left whose center bears N.32°-01'-10"W., and whose radius is 470.00 feer, a distance of 40.01 feet:
- 12. N. 34°-27'-29"W., a distance of 110.00 feek:
- 13. N.46°-31'-32"E, a distance of 71.89 feet;
- 14. N.35°-17'-29"E., a distance of 70.36 feet;
- 15. N-24°-41'-53"E., a distance of 82.07 feet;
- 16, N.22°-58'-44"E., a distance of 706.21 feet;
- 17. N.49°-42'-51"E., a distance of 491.14 feet;

18. N.:79-21'-94"E., a distance of 168.26 feet to a point on the southwesterly right-of-way line of the Arkansae Valley Conduit, as presently

thence S.48°-27'-50"E., along the southwesterly right-of-way line of the said Arkansas Valley Conduit, a distance of 610.60 feet to a point on the East-West Centerline of said Soction 16; thence N.88'-43'-25"N., a distance of 432.60 feet to the point of beginning; (containing 94.632 acres); herewith sets forth restrictive covenants thereun to appurtenant for the use and benefit of all subsequent owners of any property within said Subdivision:

UNIFORM GENERAL REQUIREMENTS

ARTICLE I

ARCHITECTURAL CONTROL COMMITTEE

Section 1. It shall be the duty of the Architectural Control Committee and it shall have the power by the exercise of its best judgment to see that all structures, improvements, construction, decorating, and landscaping on the properties conform to and harmonize with the existing surroundings and structures.

Section 2. Review by Committee. No structure, whether residence, accessory building, termis court, swimming pool, antennao, whether on a structure or on a lot, flag poles, fences, walls, house numbers, mail boxes, exterior lighting, or other

improvements, shall be constructed or maintained upon any lot and no alteration to the exterior of a structure shall be mult and no landscaping performed unless complete plans, specifications, and plot plans therefor, showing the exterior design, height, and building materials thereof, the location of the structure plotted horizontally and vertically, the location and size of driveways, the general plan of landscaping, fencing, walls, and windbreaks, and the grading plan shall have been submitted to and approved in writing by the Architectural Control Committee and a copy of such plans, specifications, and plot plans as finally approved, doposited with the Architectural Control Committee.

Section 3. Procedure. The Architectural Control Committee shall approve or disapprove all plans and requests within thirty (30) days after minission. In the event the Architectural Control Committee fails to take action within thirty (30) days after requests have been submitted, approval will not be required, and this Article will be deemed to have been fully complied with. A majority wote of the members of the Architectural Control Committee is required for approval or disapproval of proposed improvements. The Architectural Control Committee shall maintain written records of all applications submitted to it and of all action taken. In approving or disapproving the plans submitted to it, the Architectural Control Committee shall take into consideration the design, style, and construction of the proposed building or alteration, its location on charlot, the harmony of its design, architecture, and location with the terrain and surrounding neighborhood and shall determine whether such proposed building is consistent with the general terrai:, the architecture of other buildings located upon the properties subject to this Declaration and whether or not the construction or alteration of said building will adversely affect or decrease the value of other lots because of its design, location, height, or type of material used in construction. The Committee may make reasonable requirements of the lot owner, including the submission of additional plans, to insure conformance of such building when exected with these restrictions and covenants and the plans submitted and approved. The Committer may require such changes as may be necessary to conform to the general purposes as lurcin expressed.

The Committee shall have authority to grant variances from the provisions of the Declaration in cases of irregularly shaped lots, unusual terrain, or other conditions wherein the strict enforcement of these restrictions would result in unusual hardship. The Committee shall be the sole and exclusive judge of whether or not said hardship exists. The Committee shall also have authority to grant variances from the provisions of this Declaration to permit immovative architecture which is not inharmonious with other exchitecture in the Subdivision, and upon any other ground as the observation of the Committee may decide.

Whenever the Committee disapproves of any proposed plans or specifications, it shall state in writing its reason for such disapproval in general terms so that the objections can be met by alterations acceptable to the Committee.

All plans submitted to the Committee shall be left on file with the Committee.

It is the intent of these exclarations that the Committee shall exercise broad discretionary powers hereunder and its decisions shall be final and conclusive except for an arbitrary abuse of its discretion or an excess of its authority.

The Committee shall resulve all questions of interpretation. They shall be interpreted in accordance with their general purpose and intent as herein expressed.

Section 4. The Architectural Control Committee is composed of E. A. Roche, Jim Rook, and J. W. Harbert. A majority of the Committee may designate a representative to act for it. In the event of death or resignation of any member of the Committee, the remaining members shall have full authority to designate a successor. Neither the members of the Committee, nor its designated representative, shall be entitled to any compensation for services performed pursuent to this covenant.

Section 5. Liability of Committee. The Architectural Control Committee shall not be liable in damages to any person submitting requests for approval or to

buy lot owner by reason of any action, failure to let, approval, discussed to a filter to approve or disappears with named to such reguests.

AKI'ICLE 11

USE RESTRICTIONS, CUVENINTS AND PASEMENTS

The following restrictions, covenants, and easements are imposed uniformly upon the properties and the use thereof as a common scheme for the benefit of each lot.

Section 1. Land Use, Building Type, and Occupancy. All lots unless otherwise designated in the recorded plat shall be used for residential purposes only. With respect to those lots to be used for residential purposes, no building shall be erected, altered, placed, or permitted to remain on any lot other than one dotached single family dwelling not to exceed 25 feet or two stories in height. No building shall to permitted on any lot unless such building has been duly constructed thereon and the removal of dwellings or structures from other locations to any lot shall not be permitted. A private garage for not loss than two cars shall be provided with each single family dwelling and in accordance with the setback requirements herein contained.

Section 2. Lot Size and Subdivision. No lot or building site in the properties shall be less than 7500 square fort in total area and no further subdivision or resubdivision of any lot or combination of lots as shown on a recorded plat shall be permitted except upon prior written approval of the Architectural Control Committee.

Section 3. Building Size. It is the intention and purpose of this covenant to assure that all buildings will be of a uniform quality of workmanship and materials and that the size of the dwelling shall bear a proper relationship to the size of the lot or building site. Any single level or single level dwelling with basement crected on any lot or building site shall have a minimum of 1200 square feet of habitable floor space and shall have an attached two-car garage. If a two-level dwelling be built on any lot or building site and the lower level is completely finished and habitable with windows installed at the lower level that he normally used on the main level, a minimum of 1000 square feet of habitable floor area on the main level shall be allowed, providing that a two-car garage shall be attached to either side of the dwelling, but not within or under the house. If a tri-level dwelling be built on any lot or building site, the area of the two upper levels shall be used to compute the minimum allowable square footage and such minimum is 1100 square feet. Purther required is an attached two-car garage to either side of the dwelling but not to be within the two upper level's requirement of 1100 square feet minimum of habitable area.

If a two-story qualling is built, the minimum habitable floor area on the main level shall be 1000 square feet and provided further that a two-car garage is attached to either side of the dwelling, but not within or under the base house, whilese specific approval is otherwise granted by the Architectural Control Committee.

Section 4. Commercial and Mixed Commercial. Commercial or mixed residenrial and commercial structures for any purpose are not permitted.

Section 5. Building lexition. No building shall be located on any lot or building site nearer to the frunt lot line or nearer to the side street line than the minimum building setback lines shown on the recorded plat. In any event no building shall be located on any lot or building site nearer than 25 feet to the front lot line. No building shall be located nearer than 25 feet to an interior property line, except that no side yard shall be required for a garage or other parmitted occasiony building loveled to near from the minimum building setback line. No dwelling shall be located on any interior lot or building site nearer than 15 feet to the rear lot line. However, in lot 1, Block 21; lot 1, Block 12, and all lots of Block 13, no dwelling shall be located on any interior lot or building site nearer than 25 feet to the rear lot line. For the purposes of this covenant, waves, steps, and open perches shall not be considered as part of a building, provided, however, that this shall not be construed to penalt any such structure on a lot to encreach upon another lot or building site.

Spull be designed and constructed in occardance with the following standards:

- (a) Roof material shall be expressly approved by the Architectural Control Committee.
- (b) Overhang of roof shall be at least 24 inches, unless a leaser overhang is approved by the Architectu; al Control Consittee.
- (c) Gutters are not required; knower, a minimum of three feet overhang shall be provided if gutters are not installed. Gutters and downsports where used shall be painted to blend with the colors of dwelling.
 - (d) Garage doors shall be wood or wood composition.
- (e) All exterior walls shall be constructed of wood, stone, stucco, or brick. Only two combinations of the allowed materials may be used unless prior approval of the Architectural Control Committee is obtained.
- (f) Only two-car or three-car sixed attached garages are allowed. Carports or detached garages permissible at rear of house.
 - (g) All exposed concrete more than 16 inches above grade must be stuccoed.

Section 7. Fences or Walls.

- (a) Fences or walls shall be allowed only in the rear portion of a lot extending from the front house line and must be tied into the rear lot line or fence on the rear lot line. However, with regard to Lot 1, Block 21; Lot 1, Block 12, and all lots in Block 13, no fencing of any type may be placed on or about the rear 20 feet of the lot. In the case of corner lots, no fencing shall be closer to the side lot line on the street side than the house slde yard setback line.
- (b) All fonces shall be constructed of natural coder wood at a minimum height of five feet or a maximum of six first enclosing the rest yard, and completed no less than six months from date of completion of the house.
- (c) Those lots abutting the designated area in El Camino, Second Filing, shall not be required to enclose that lot line bordering said gree, area. As an alternate that portion of said fencing may be emitted or enclosed with real lock fencing not to exceed 42 inches in height.
- (d) All walls shall be constructed of stone, stucco, or brick of a variety allowed for the construction of exterior walls of dwellings.
- Section 8. Landscaping. No holy, tree or shrub planting shall be placed which obstruct sight lines and cievations between two and six feet above the roadway shall be placed or permitted to remain on any corner lot within the triangular area formed by the street property lines and the line connecting them at points 25 feet from the intersection of the street lines or in the case of a rounded property corner from the intersection of the street property lines extended. The same side line limitations shall apply on any lot within 10 feet from the intersection of a street property line with the edge of a driveway or alley pavement.

The front yard of each residence shall be landscaped according to the landscape plan submitted and approved, will a minimum of 50% of the front yard planted in Kentucky Blue Grass of its equivalent. The first yard is defined as being from the front property line back to the fence line separating the rear yard from the front yard. The side streets will also be considered as front yards and described as from the side property line to the parallel side yard fence line.

Section 9. Basements. Easements for installation and maintenance of utilities and drainage facilities are reserved as shown on the recorded plat.

Section 10. Trash. No garbage, refuse, rubbish, or cuttings shall be

deposited on any street or road and on any lot unless placed in a suitable container. The burning of trash in outside incinerators, burkened plls, or the like is prohibited, it being intended that all refuse, trash, garbage, and the like shall be hauled from the properties. Carbage cans are to be inside garages, behind decorative funcing, or otherwise hidden from view to the street.

Section 11. Storage of Building Materials. No building material of any kind or character shall be placed upon any lot except in connection with construction or maintenance approved by the Architectural Control Committee. As soon as building materials are placed on any lot in such connection, construction shall be promptly commenced and diligently prosecuted.

Section 12. Commercial Enterprises, Nuisances. No numufacturing or commercial enterprises shall be conducted or maintained upon, in front of, or in connection with lot or lots.

No noxious or offensive activity shall be permitted on any lot, street, or road, nor shall anything be done thereon which may be or may become an annoyance or a nuisance to the neighborhood.

Section 13. Commercial Vehicles, Campers, Trailers. No commercial type vehicles and no trucks shall be stored or parked on any lot except in a closed garage, nor parked on any street or road except while engaged in transport to or from a dwelling. For the purposes of this restriction, a truck having a 3/4 ton manufacturer's rated capacity, commonly known as a pickup truck, shall not be decayd to be a commercial vehicle or a truck. Compers and trailers shall be parked or stored at the rear of lot out of sight of street or kept in garage.

Section 14. Free-Standing Mailboxes. All free-standing mailboxes shall be approved by the local postal authority.

Section 15. Animals. No person shall be allowed to keep, breed, or raise chickens, turkeys, cattle, norses, sheep, goats, swine, rabbits, or other domestic farm or barnyard animals or foul on any lot or other portion of the properties, or erect thereon any building designed to house the same. This restriction shall not be construed to prohibit may person from keeping dogs, cats, or other household pets on any lot, provided they are not kept, bred, or raised for any commercial purpose.

Soction 16. Temporary Residences. No structure of temporary character, trailer, bisement tent, shock, barn, or other cutbuildings shall be used on any lot at any time as a residence, either temporarily or permanently, and no used structure of any sort shall be moved into any lot.

Scotion 17. Signs. No sign of any kind shall be displayed to the public view on any lot except one professional sign of not more than nine square feet advertising the property for sale or rent, or signs used by a builder, developer, or subdivider to advertise the property during construction, development, and sales period.

Scotion 13. Outside Clothesline, Aerials, Antennas, Carport, Patio Covers and Other Similar Structures. Outside aerials, clotheslines, antennas, or basket-ball hoops and backbourds, whether on buildings or free standing, carports and patio covers or similar structures shall not be allowed unless approved by the Architectural Control Committee. All such approved structures shall be located out of view of the street.

Sortier: 13. Survice Areas. Drying yards, service yards, wool piles, or storage areas shall be so located as not to be visible from a street or road.

Any exterior lighting installed on any lot shall either be indirect or of such controlled focus and intensity so as not to disturb the residents of the adjacent property.

Ornamental post lights shall be designed to be in keeping with the lighting fixtures at the street or road corners.

Section 20, Moror Vehicles.

- (a) No motor vehicles cound or leased by comers of lots in the properties shall be parked or maintained on any street within the properties. Parking of all motor vehicles not comed or leased by comers of lots in the properties may be permitted only on certain portions of the street within the properties as designated by the developer as quest parking.
- (b) All unused motor volicies of any kind, except as hereinabove provided, shall not be stored or parked on any lot, except in a closed garage. "Unused vehicle" shall be defined as any motor vehicle which has not been driven within a 35-day period.
- Section 21. Garage doors are to be kept closed at all times, except when in immediate use for ingress and egress of motor vehicles, equipment, and the like.
- Section 22. Conflict with Moning. In the event the terms and conditions of this Declaration conflict with the applicable zoning laws, then the higher standard shall control.

ARTICE III

DIVALINAGE EASEMENT

The rear 20 feet of Lot 1, Block 21: Lot 1, Block 11; and all of Block 13 is subject to an easement for drainers; and flowing of storm water and other water run-off. No structure of any kind, including foncing, may be placed on or about the rear 20 feet of these lots, nor may there be any blocking or hindering of the drainage course by change in elevations thereof, by planting trees or shrubbery, or by any other means.

ARTICLE IV

GENERAL PROVISIONS

- Section 1. Terms. These expendents are to run with the land and shall be binding on all parties and all persons claiming under them for a period of 25 years from the date these covenants are recorded.
- Section 2. Enforcement. Unforcement shall be by proceeding at law or in equity against any person or persons violating or attempting to violate any covenant either to restrain violation or to recover damages.
- Section 3. Severability. Invalidation of any one of these covenants by judgment or court order shall in no way affect any of the other provisions which shall remain in full force and effect.
- Section 4. Notices. Any notice required to be given to any owner under the provisions of these covenants shall be to the last known address of the record owner of the lot in which the owner has an interest as shown on the records of the corporation at the time of such mailing.

SCUIMMEST SERVICE CORPORATION

By: F. A. facto, Presiden

test:

Socretary

STATE OF COLOPADO)

| 185.

COUNTY OF PUEBLO)

I hereby acknowledge that the forepoing instrument was signed before me
by E. A. Roche, as President, and
SOUTHWEST SERVICE CORPORATION, this 19th day of August , 1977.
Witness my hand and notarial seal.
in NTO
PUBLIC: PUBLIC: Notary Publid
Notary Public